



A.C.N. 005 363 833

Material Safety Data Sheet

Issue Date: April 2011
Product Name: **INSTANT PELLETS**

Classified as Hazardous according to criteria of Worksafe Australia

COMPANY DETAILS

Company Name WOBLEA PTY LTD
Address 18 EMBREY COURT, PAKENHAM VIC 3810
Tel/Fax Ph: (03) 5940 1077 Fax: (03) 5940 2599

IDENTIFICATION

Product Code KWIKATICA
Product Name INSTANT PELLETS
Shipping Name (CSN) TRICHLOROISOCYANURIC ACID, DRY-OXIDIZER
Other Names TRICHLORS - TRIAZINETROINE
Sold As KWIKATICA PELLETS
UN Number 2468
DG class 5.1
Packing group II
Hazchem Code 2PE
Poisons Schedule S5
Product Use Chlorine Based Irrigation Cleaner

PHYSICAL DATA

Appearance White pellet form product.
Melting Point Decomposes at 240 degrees C
Specific Gravity 1 at 20 degrees C
Soluble in Water Soluble, 1.2% @ 25 Deg C

OTHER PROPERTIES

Odour Threshold Sharp, chlorine-like bleach odour
pH Value (1% solution) 2.7 - 2.9
Form Solid
Molecular Weight 232.5



18 Embrey Crt. Pakenham Vic 3810
Ph: (03) 5940 1077 Fax: (03) 5940 2599

POST-HARVEST
YM-FAB
CHEMICALS



INGREDIENTS

<u>Ingredients</u>	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Trichloroisocyanuric Acid	87-90-1	49.00-50.00%
	Sodium Dichloroisocyanurate	2893-78-9	45%
	Organic Compound, Inorganic Compound		5.6%

SAFE HANDLING INFORMATION

STORAGE AND TRANSPORTATION

Storage Precautions	Store in a cool, dry place. Store away from sources of heat or ignition. Store away from combustible materials. Store away from strong bases. Store away from strong acids. Keep containers securely sealed and protected against physical damage. Store away from foodstuffs. Not to be loaded with Class 1, 2.1, 2.3, 3, 4.1, 4.2, 4.3, 5.2, 6*, 7, 8, 9* (*where these classes are capable of being ignited and burning), and substances other than dangerous goods capable of being ignited and burning.
Shipping Name (CSN)	TRICHLOROISOCYANURIC ACID, DRY-OXIDIZER
Other Storage Info	Mix only with water. Use only clean, dry utensils. Do not mix with remnants of other products. Such use may cause a violent reaction to fire or explosion.



A.C.N. 005 363 833

SPILLS AND DISPOSAL

Spills and Leaks

Clear area of all unprotected personnel. For large spills notify Emergency Services. In the event of a small spill: Scrape up. Collect and seal in properly labelled drums for disposal. Neutralize remaining product with a weak reducing agent such as Sodium Thiosulphite, or with Bisulphite and dilute Sulphuric Acid. Neutralize with soda ash to pH 8-10 and flush to sewer with copious quantity of water. Avoid breathing dust or vapours and contact with skin and eyes. Wear full protective clothing (see Personal Protection/Ventilation Section). Self contained breathing apparatus may be needed for prolonged periods of exposure. Refer to appropriate State Waste Disposal Authority Observe local regulations.

FIRE/EXPLOSION HAZARD

Fire/Explos. Hazards

Evacuate immediate area. A powerful oxidizing agent It can ignite combustible substances. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of decomposition. Harzardous decomposition products: Carbon Monoxide, Carbon Dioxide, Nitrogen Oxides and Hydrogen Chloride gas. Extinguish fire with the following: Use massive amounts of water. Heating can cause expansion or decomposition leading to violent rupture of containers.

HEALTH HAZARD INFORMATION



A.C.N. 005 363 833

HEALTH EFFECTS

Acute - Ingestion	Irritation and/or burns can occur to the gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhoea, abdominal pain, bleeding and/or tissue ulceration.
Acute - Eye	A severe eye irritant. Contamination of eyes can result in permanent injury.
Acute - Skin	Dermal exposure can cause severe irritation and/or burns characterized by redness, swelling and scab formation. Prolonged skin exposure may cause destruction of the dermis with impairment of the skin at site of contact to regenerate.
Acute - Inhalation	The vapour (chlorine) is an irritant to the mucous membranes and respiratory tract. Inhalation of dust will result in respiratory irritation. Inhalation of vapour (chlorine) can result in headaches, dizziness and possible nausea. May cause pulmonary oedema, pneumonitis and emphysema. Inhalation of high concentrations can result in permanent lung damage.

FIRST AID

Ingestion	Rinse mouth thoroughly with water immediately. Give bread soaked in milk or milk to drink. DO NOT induce vomiting. Do not give alcohol. Seek immediate medical assistance. Poison Information Centre phone 13 11 26 Australia wide.
Eye	Immediately irrigate with copious quantity of water for at least 15 minutes. Eyelids to be held open. Seek immediate medical assistance.
Skin	Remove contaminated clothes. Wash affected areas with copious quantities soap and water. If swelling, redness blistering or irritation occurs seek medical advice.
Inhalation	Remove victim from exposure - avoid becoming a casualty. If breathing laboured and patient cyanotic (blue), ensure airways are clear and have qualified person give oxygen through a face mask. If breathing has stopped apply artificial respiration at once. In the event of cardiac arrest, apply external cardiac massage. For all but the most minor symptoms arrange for patient to be seen by a doctor as soon as possible - either on site or at the nearest hospital.



ADVISE TO DOCTOR

Advice to Doctor Treat symptomatically - Poison Centre 13 11 26 Australia wide.

OTHER HEALTH HAZARD INFORMATION

PRECAUTIONS FOR USE

Exposure Limits	Name	mg/m ³ TWA	ppmTWA	<u>TWA Footnote</u>
	Trichlorosocyanuric Acid			
Other Exposure info	None reported by Worksafe Australia. However, Decomposition product, Chlorine TLV:3 mg/m ³ , 1ppm (ceiling values) Ceiling Value - Is the concentration that should not be exceeded even instantaneously.			
Engineering Controls	Maintain concentration below recommended exposure limit. Avoid generating and inhaling dust. Use with local exhaust ventilation or: Approved Combination particulate/gas respirator. (Inorganic vapour).			

PERSONAL PROTECTION

Protective Equipment	The following personnel protective equipment should be worn. Overalls or similar protective apparel. Safety glasses, goggles or faceshield as appropriate. PVC gloves. Wash contaminated clothing and protective equipment before storing/re-using. Avoid skin and eye contact. Always work in a well ventilated area.
Work/Hygienic Practices	Eye wash station and safety shower should be provided in the immediate work area.



A.C.N. 005 363 833

FLAMMABILITY

Fire Hazards	Non flammable. Keep away from heat, sparks or naked flames.
Other Precautions	Keep away from combustible materials, solvents, ammonia, amines, urea, organic matter, inorganic reducing agents, strong bases and Calcium Hypochlorite. Protect from heat, ignition sources and moisture. Contact with water may liberate Nitrogen Trichloride gas.
Hazardous Reaction	Stable if dry. Reacts non-violently with water.
Materials to Avoid	Organic materials (including all flammable and combustible materials) - increased risk of fire and explosion. Reducing agents (readily oxidizable materials may react violently or explosively. Nitrogen containing compounds (for example, ammonia, ammonium, ammonium salts, urea) - may form hazardous Nitrogen Trichloride. Acids (especially Hydrochloric Acid) reaction generates chlorine gas and may be violent. Bases for example, soda ash solutions) - Reaction may produce hazardous Nitrogen Trichloride. Water - reacts non-violently with water to form a bleach solution (Hypochlorous Acid plus Cyanurate). In strong solutions (more than 0.5% available chlorine) some Nitrogen Trichloride may be formed. Hydrated salts - may decompose producing heat and pressure in sealed containers. Hazardous decomposition products: Nitrogen Trichloride, Chlorine corrosivity.
Hazchem Code	2PE



A.C.N. 005 363 833

OTHER INFORMATION

Toxicology	Oral LD50 (rat):490mg/kg Dermal LD50 (rabbit):>2g/kg Inhalation LC50 (rats, one hour exposure)>50 mg/l
Information on Ecological Effects	Marine pollutant.
Environmental Protection Risk Statement	Highly toxic to aquatic life. Avoid contaminating waterways. R8 keep container dry. S26 In case of contact with eyes, rinse immediately with water and contact a doctor or Poisons Information Centre. S41 In case of fire and/or explosion do not breathe fumes.
Hazard Category	Harmful, Irritant

CONTACT POINT

Contact Any advice, recommendation, information, assistance, or service provided by Wobelea Pty Ltd in relation to the goods supplied by it or their use or application is given in good faith and believed to be appropriate and reliable. However, it is provided with a disclaimer for any liability or responsibility on the part of Wobelea Pty Ltd. The customer accepts all risk and responsibility for use of the goods alone, or in combination with other products. All warranties, guarantees and conditions, other than those expressly stated, and whether implied by statute, common law, custom of the trade otherwise, are to the extent that the law permits expressly excluded

Mr Allistair Bliss

Telephone (03) 5940 1077
(03) 5629 5424
0417 168 990

April 2011